Attorney Docket No. 110989-0004 Application No. <u>10/550,942</u>

Page 2

AMENDMENT TO THE CLAIMS:

This listing of claims will replace all prior versions, and listings, of claims in the application.

<u>Listing of the Claims:</u>

1. (**Currently amended**) A method for obtaining traffic information—using billing information of a mobile terminal, comprising the steps of:

determining whether a user attempts a telephone call while a car in which the user holding a mobile terminal rides enters a highway;

receiving call data, necessary for performing a billing operation, based on [[a]]the telephone call made by the <u>mobile</u> terminal on [[a]]the highway, if the user attempts the telephone call;

extracting terminal information from the received call data;

requesting position information be transmitted at unit-time intervals for a position tracking operation for the terminal according to the extracted terminal information;

tracking a moving path and time of the terminal between base stations according to the transmitted position information; and

producing an average speed per hour between base stations according to the tracked moving path and time.

- 2. (**Currently amended**) The method as set forth in claim 1, wherein the base stations are installed side-by-side and managed on [[a]]the highway.
- 3. (Previously presented) The method as set forth in claim 1, wherein the extracted terminal information includes a terminal identification number.
- 4. (Original) The method as set forth in claim 1, wherein the unit-time intervals for the position tracking operation associated with a position information registration request are maintained as 30-second intervals.
- 5. (Original) The method as set forth in claim 1, wherein the position information is transmitted together with a wakeup signal.

Attorney Docket No. 110989-0004 **PATENT** Application No. 10/550,942

Page 3

6. (Previously presented) The method as set forth in claim 1, wherein a predetermined number of sample object is selectively extracted on a section-by-section basis or in each section when the terminal information is extracted from the received call data.

- 7. (Previously presented) The method as set forth in claim 6, wherein the section is formed by a group of one to seven base stations aligned side-by-side.
- 8. (Original) The method as set forth in claim 6, wherein there is at least one sample object on a section-by-section basis.
- 9. (Original) The method as set forth in claim 6, wherein an operation for tracking a lower-priority sample object is terminated when sample objects are concentrated on the section-by-section basis.
- 10. (Original) The method as set forth in claim 9, wherein the number of sample objects in a corresponding section is increased for a predetermined time, a tracking operation for normally roving sample objects is carried out and a tracking operation for another sample object is terminated, when sample objects are concentrated on the section-by-section basis and an operation for tracking the sample object is terminated the predetermined number of times.
- 11. (Original) The method as set forth in claim 6, wherein an operation for tracking a lower-priority sample object is carried out and an operation for tracking a first priority sample object is terminated, when sample objects are concentrated on a section-bysection basis due to a difference between distances of sections and a difference between moving speeds of the sample objects.
- 12. (Original) The method as set forth in claim 1, wherein the average speed per hour between the base stations is produced by dividing a distance between the base stations based on the moving path by the moving time.

PATENT

Attorney Docket No. 110989-0004 Application No. <u>10/550,942</u>

Page 4

- 13. (**Currently amended**) The method as set forth in claim 1, wherein the average speed per hour is estimated as a maximum speed on [[a]]the highway when no call data is received when receiving the call data.
- 14. (Original) The method as set forth in claim 1, wherein the step of producing the average speed per hour between the base stations comprises the step of: adding a reference time to a unit-time interval for the position tracking operation when a movement between the base stations is not present, and producing the result of the addition.
- 15. (Original) The method as set forth in claim 14, wherein the reference time is 2 minutes.
- 16. (Original) The method as set forth in claim 2, further comprising the step of: terminating the tracking operation when a setup operation is carried out between the terminal and a different base station other than the base stations installed and managed on the highway.
- 17. (Original) The method as set forth in claim 16, wherein the tracking operation is terminated when the setup operation is carried out between the terminal and the different base station other than the base stations installed and managed on the highway twice or more.
- 18. (Original) The method as set forth in claim 2, wherein the base stations installed and managed on the highway have one sector dedicatedly assigned for the highway, respectively.
- 19. (**Currently amended**) A method for obtaining traffic information-using billing information of a mobile terminal, comprising the steps of:

determining whether a user attempts a telephone call while a car in which the user holding a mobile terminal rides enters a managed highway;

receiving call data, necessary for performing a billing operation, based on [[a]]the telephone call attempted by the <u>mobile</u> terminal on [[a]]the managed highway, if the user attempts the telephone call;

extracting terminal information from the received call data;

PATENT

Attorney Docket No. 110989-0004 Application No. <u>10/550,942</u>

Page 5

determining whether handoff data has been generated according to the extracted terminal information;

if the handoff data has been generated, tracking a roving path and time of the terminal between base stations on the managed highway according to a handoff signal; and

producing an average speed per hour between the base stations according to the tracked moving path and time.

- 20. (Previously presented) The method as set forth in claim 19, wherein the base stations are side-by-side installed and managed on the highway.
 - 21. (Original) The method as set forth in claim 19, further comprising the step of: terminating the tracking when the terminal terminates the telephone call.
 - 22. (Original) The method as set forth in claim 19, further comprising the step of: if the handoff data has not been generated, terminating the tracking.
- 23. (Previously presented) The method as set forth in claim 19, wherein the terminal information includes a terminal identification number.
- 24. (Original) The method as set forth in claim 19, wherein the average speed per hour between the base stations is produced by dividing a distance between the base stations based on the moving path by the roving time.
- 25. (Previously presented) The method as set forth in claim 20, further comprising the step of:

terminating the tracking when a setup operation is carried out between the terminal and a different base station other than the base stations installed and managed on the highway.

- 26. (Original) The method as set forth in claim 25, wherein the tracking is terminated when the setup operation is carried out between the terminal and the different base station other than the base stations installed and managed on the highway twice or more.
 - 27. (Original) The method as set forth in claim 19, wherein the step of producing

Attorney Docket No. 110989-0004 PATENT

Application No. <u>10/550,942</u>

Page 6

the average speed per hour between the base stations comprises the step of: grouping two to seven base stations and producing the average speed in a predetermined section.

28. (Original) The method as set forth in claim 20, wherein the base stations installed and managed on the highway have one sector dedicatedly assigned for the highway.

29. (**Currently amended**) A method for obtaining traffic information—using billing information, comprising the steps of:

setting a reference value of a traffic state according to the number of generated telephone calls associated with a corresponding base station on a time zone-by-zone basis, wherein the telephone call which is generated by a mobile terminal while a car in which a user holding the mobile terminal rides enters a highway, and wherein the mobile terminal generating the telephone call sends call data necessary for performing a billing operation;

extracting telephone calls associated with the base station at predetermined time intervals;

comparing the number of the extracted telephone calls with the reference value; and setting a traffic class of a corresponding base station area according to an increase or decrease based on a result of the comparison.

- 30. (**Currently amended**) The method as set forth in claim 29, wherein the base station is installed and managed on [[a]]the highway.
- 31. (Original) The method as set forth in claim 30, wherein the base station installed and managed on the highway has one sector dedicatedly assigned for the highway.
- 32. (Original) The method as set forth in claim 30, wherein the predetermined time intervals are 5-minute intervals.